

Physics *education*

iopscience.org/physed



Tuba physics

Producing 24 harmonics with a fixed pipe length

Papers: Eanina STEIN, Binding blocks; *Feature:* Pepper's ghost



Physics Education

Table of contents

Volume 53

Number 6, November 2018

[Previous issue](#) [Next issue](#)

Buy this issue in print
Open all abstracts

Frontline

Extracting the coefficient of volume expansion of mercury from a thermometer Unofre Pili, Renante Violanda, Claude Ceniza and Rommel Gomez + Open abstract View article PDF	063001
Use of thermal imaging for understanding simple electrical circuits Choun Pei Wong and R Subramaniam + Open abstract View article PDF	063002
Solving a projectile motion problem by thinking like a physicist Carl E Mungan + Open abstract View article PDF	063003
Physionary—a scientific version of Pictionary N Poljak, A Boslij, S Brzaj, J Dragovic, T Dubček, F Erhardt and M Jerčić + Open abstract View article PDF	063004
Using the terminal velocity for determining the size of minute gas bubbles in water Johan Lindén + Open abstract View article PDF	063005
Calculation of the velocity of sound using a resonance tube G J Howgate and K D Pithia + Open abstract View article PDF	063006
Using an Arduino in physics teaching for beginners John Kinchin + Open abstract View article PDF	063007
Using an Arduino and cheap thermistor to make a simple temperature sensor John Kinchin + Open abstract View article PDF	063008

Paper

Investigating the Torricelli law using a pressure sensor with the Arduino and MakerPlot Keith Atkin + Open abstract View article PDF	065001
A simple and effective magnetic dynamometer to teach Newton's third law P R Scomparin and J T Carvalho-Neto + Open abstract View article PDF	065002
The relativity of mechanical motion in simple experiments V V Mayer and E I Varaksina + Open abstract View article PDF	065003
The Hawking temperature, the uncertainty principle and quantum black holes Jorge Pinochet + Open abstract View article PDF	065004
An expanding balloon: a small universe Beichen Xu, Jun Su and Weiguo Wang + Open abstract View article PDF	065005
Converging science and literature cultures: learning physics via <i>The Little Prince</i> novella A Godínez-Sandí, D Fallas-Padilla, S España-Tapia, A Zúñiga-Villagas, Milena Castro and O A Herrera-Sancho + Open abstract View article PDF	065006
Harmonic series experiments: length correction of the Malaysia pan flute Rosly Jaafar, Anis Nazihah Mat Daud and Kok Keng Hon + Open abstract View article PDF	065007
The Italian Job: an exercise in turning forces Mike Follows + Open abstract View article PDF	065008
Introducing energy through observations and measurements Bruno Hartmann and Burkhard Priemer + Open abstract View article PDF	065009
Coefficient of kinematic friction from damped oscillatory motion Peter F Hinrichsen + Open abstract View article PDF	065010
The physics of baking good pizza Andrey Variamov, Andreas Glatz and Sergio Grasso + Open abstract View article PDF	065011
Approximating the linearly impeded projectile by a tilted idealized one Joseph A Rizcallah + Open abstract View article PDF	065012
If the Earth were a cube, what would be the value of the acceleration of gravity at the center of each face? J A Lira + Open abstract View article PDF	065013
Swinging beam of beads transforming into a simple pendulum of the same length Chloe E Hawes and Michael J Ruiz + Open abstract View article PDF	065015
Looking at phosphorescence with a smartphone, explaining phosphorescence with a dice toy model Massimiliano Malgieri, Tommaso Rosi, Pasquale Onorato and Stefano Oss + Open abstract View article PDF	065016
A teaching guide of nuclear physics: the concept of bonds S Baroni and A Pastore + Open abstract View article PDF	065017
A device to safely perform experiments on radioactivity Giovanni Organtini + Open abstract View article PDF	065018
Infrared cameras as accessories to smartphones: facts you need to know Michael Vollmer and Klaus-Peter Möllmann + Open abstract View article PDF	065019
Can a short intervention focused on gravitational waves and quantum physics improve students' understanding and attitude? Rahul K Choudhary, Alexander Foppoli, Tejinder Kaur, David G Blair, Marjan Zadnik and Richard Meagher + Open abstract View article PDF	065020
Constant speed motion analysis using a smartphone magnetometer Ade Yeti Nuryantini, Asti Sawitri and Bebeh Wahid Nuryadin + Open abstract View article PDF	065021

Review


Reviews View article PDF	066001
--	--------

End Results: What Happens Next?

Three mysterious boxes—the answer D Featonby + Open abstract View article PDF	067001
Floating boat—the question D Featonby and David Keenahan + Open abstract View article PDF	067002

JOURNAL LINKS

- [Submit an article](#)
- [About the journal](#)
- [Editorial Board](#)
- [Author guidelines](#)
- [Review for this journal](#)
- [Publication charges](#)
- [News and editorial](#)
- [Journal collections](#)
- [Pricing and ordering](#)
- [Contact us](#)



Physics Education

Editorial Board

Editor-in-Chief

Gary Williams Institute of Physics, UK

Deputy Editors

Book Reviews

Clare Thomson British Physics Olympiad, London, UK

Equipment Reviews

John Kinchin The King's (The Cathedral) School (Retd.), Peterborough, UK

Editorial Board

Ian Beddow DCAE Cosford, UK

Rosie Boparai South Hampstead High School, London, UK

Jon Clarke Kingston, Canada

Eugenia Etkina Rutgers University, New Brunswick, NJ, USA

Helen Georgiou University of Wollongong, Australia

Stephanie Grant Norwich School, UK

Judith Hillier University of Oxford, UK

David Housden St Bernard's College, Lower Hutt, New Zealand

Gareth Kelly Aberphysics, UK

Kim Krijtenburg-Lewerissa Utrecht University, The Netherlands

David R Lapp Tamalpais High School, Mill Valley, USA

Stanley Micklavzina University of Oregon, Eugene, USA

Shinjiro Ogawa Waseda University High School, Tokyo, Japan

Kerry Parker Wellington High School, New Zealand

Ann-Marie Pendrill Göteborg University and Chalmers, Sweden

Daryl Phillips Welshpool High School, UK

Gorazd Planinsic University of Ljubljana, Slovenia

Damian Pope Perimeter Institute for Theoretical Physics, Canada

David Richardson Clifton College, UK

Josip Slisko Benemérita Universidad Autónoma de Puebla, Mexico

Robert Strawson Abingdon, UK

Michael Vollmer University of Applied Sciences Brandenburg, Germany

Sihui Wang Nanjing University, China

JOURNAL LINKS

[Submit an article](#)

[About the journal](#)

[Editorial Board](#)

[Author guidelines](#)

[Review for this journal](#)

[Publication charges](#)

[News and editorial](#)

[Journal collections](#)

[Pricing and ordering](#)

[Contact us](#)

PAPER

Constant speed motion analysis using a smartphone magnetometer

To cite this article: Ade Yeti Nuryantini *et al* 2018 *Phys. Educ.* **53** 065021

View the [article online](#) for updates and enhancements.



IOP | ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

Constant speed motion analysis using a smartphone magnetometer

Ade Yeti Nuryantini¹ , Asti Sawitri²  and Bebeh Wahid Nuryadin² 

¹ Department of Physics Education, UIN Sunan Gunung Djati Bandung, Jl. A H Nasution No. 105, Bandung 40614, Indonesia

² Department of Physics, UIN Sunan Gunung Djati Bandung, Jl. A H Nasution No. 105, Bandung 40614, Indonesia



CrossMark

E-mail: ade.yeti@uinsgd.ac.id and bebehwahid102@uinsgd.ac.id

Abstract

This study demonstrated that the constant average speed of a dynamic car could be measured and calculated using the smartphone magnetometer. The apparatus setup was built using a dynamic car, a linear track up to 1.50 m, a bunch of magnets, and a smartphone magnetometer application. The smartphone magnetometer application, 'Physics Toolbox Suite', was free for the experiment. The magnet and smartphone magnetometer were attached on a linear track and dynamic car, respectively. When the dynamic car are moving on the car track, the smartphone magnetometer will measure the magnetic field value versus the time relation. The magnetic field value will fluctuate, increasing when close to the magnet or decrease when the distance from the magnet increases. The magnetic field properties (peaks time) versus the magnet distance position were analyzed using linear fitting, and we find the average speed of the dynamic car. We hope that this magnetometer experiment will be valuably used in general physics laboratories.

Introduction

Research on smartphones sensors as a learning and experimental apparatus, especially in the physics laboratory, is exciting and still increasing [1, 2]. The sensors on common smartphones are an accelerometer, gyroscope, light sensor, and magnetic sensor. Accelerometer (and gyroscope) sensors have been widely used to analyze objects in free fall [1], rolling motion [3], free and damped oscillations, and a simple pendulum [4]. In 2017, the Kapucu group developed a method of measuring an object's velocity using a smartphone light sensor [5]. Also, magnetometer sensors have been used to measure the magnitude

of the static magnetic field [6], and the magnetic field on the straight cable and the loop [7, 8]. The use of magnetometer sensors is quite exciting and has much potential because of the high sensor precision and low interference of the external (Earth) magnetic field.

Therefore, this study reports the use of magnetometer sensors to determine the constant average speed of a dynamic car. Motion data and analysis is obtained by detecting the maximum magnetic field of the magnet placed in a row along the linear track. This research is expected to be a guide for teachers and students in conducting physics experiments using magnetometer sensors.




Figure 1. The schematic of the constant speed motion analysis using a smartphone magnetometer.

Experimental overview

In this study, the Android based smartphone and the Physics Toolbox app is used to measure the magnetic field strength. The magnetic field data used is the total magnetic field measured by the magnetometer sensor. The average speed of the dynamic car was calculated by [5]:

$$v_x = \frac{\Delta x}{\Delta t} \approx \frac{dx}{dt}, \quad (1)$$

where v_x , Δx , and Δt are the average speed, magnet position (m) and peak time span (s), respectively.

The schematic of the constant speed motion analysis using the smartphone magnetometer setup is shown in figure 1. The apparatus setup was built using a dynamic car with a constant speed, a linear car track up to 2.00 m, strong magnets of AlNiCo (Aluminum (Al), Nickel (Ni), Cobalt (Co)) alloy with dimensions $7 \times 2 \times 0.5$ cm, and a smartphone magnetometer application. The magnets were attached on a car track in a parallel position, with a distance position at 10 cm, 15 cm and 20 cm for the different experiments. The smartphone magnetometer was attached to the dynamic car and moved horizontally on the linear car track. When a car with constant speed was running on the linear car track, the smartphone magnetometer would measure the magnetic field value versus the time relation. The magnetic field value fluctuated, increasing when close to a magnet or decreasing the further from the magnet [6]. To find the magnetic field properties we analyzed the magnetic peak value and peak time of the measurement data. The magnetic peak value describes the magnet position on the linear car track. Thus,

from the magnetic field data we find the relation of the peak time and magnet positions. The relation of the peak time and magnet position were analyzed using the linear fitting in using equation (1), and we find the average speed of a smartphone magnetometer of the dynamic car.

Trials and results

In the following experiment, the dynamic car and the smartphone are moved to the x -axes (1D motion analysis). The 1D motion of a dynamic car on the linear track, the smartphone starts measuring the magnetic field value (100 Hz) for different magnet distance positions at 10 cm, 15 cm and 20 cm (see figure 2). For easy analysis, the initial time of the magnetic experiment was applied (selected) at the first-peak time of the magnetic field data. The magnetic field properties (peak periods) were analyzed directly from the magnetic field, as shown in table 1. The resultant graphs show that the magnetic field value fluctuated, increasing when close to a magnet or decreasing when the distance to magnet increases [6]. The relative of the peak time span for the magnet distance position (δL) at 10 cm, 15 cm, and 20 cm were 0.6 s, 0.9 s, and 1.2 s, respectively. The peak time span indicates that the dynamic car is moving at a constant speed at 1D motion.

To measure the speed of the dynamic car, the relation of the peak time versus the magnet position was analyzed using linear fitting (see equation (1)) as shown in figure 3. The dynamic car speed for the magnet distance position (δL) at 10 cm, 15 cm and 20 cm were 16.8 cm s^{-1} , 16 cm s^{-1} and 16.2 cm s^{-1} , respectively. These results show that dynamic car has a constant




Figure 2. Magnetic field measurement using a car with constant speed and smartphone magnetometer for magnet distance position (δL) at 10 cm, 15 cm, and 20 cm.

Table 1. Magnetic field properties for magnet distance position (δL) at 10 cm, 15 cm, and 20 cm.

Peak	$\delta L = 10$ cm		$\delta L = 15$ cm		$\delta L = 20$ cm	
	Peak time (s)	Magnet position (cm)	Peak time (s)	Magnet position (cm)	Peak time (s)	Magnet position (cm)
1	0	0	0	0	0	0
2	0.610	10	0.946	15	1.184	20
3	1.246	20	1.698	30	2.483	40
4	1.808	30	2.735	45	3.691	60
5	2.352	40	3.691	60	4.899	80
7	2.936	50	4.718	75	6.149	100
8	3.531	60	5.665	90	7.398	120
9	4.225	70	6.552	105	8.666	140
10	4.748	80	7.538	120	9.925	160
11	5.091	90				
12	5.515	100				
13	5.957	110				

speed, with average R^2 about 0.9995. A small difference in average speed results may be caused by a considerable linear track resistance, magnet position, and magnetometer sensor accuracy. We hope that this magnetometer experiment will be used in general physics laboratories.

Conclusions

We have successfully studied the use of magnetometer sensors to determine the constant average speed of a dynamic car using the smartphone magnetometer sensor and the Physics Toolbox application to record the magnetic field as a




Figure 3. Peak time versus magnet position relation, and constant speed linear fitting for magnet distance (δL) at 10 cm, 15 cm and 20 cm.

function of time. We have shown the dynamic car speed for various magnet distance position (δL) has a constant speed. The experiments show that smartphone devices offer sufficient measurement accuracy and can be used as everyday tools to measure physical quantities. Distance positions were analyzed using linear fitting and to find the average speed of the dynamic car.


Acknowledgments

This study was partly supported by a research grant from the *UIN Sunan Gunung Djati Bandung* (Penelitian Dasar Pengembangan Program Studi, BOPTN 2018). All authors contributed to the research experiment, data analysis and manuscript preparation.

ORCID iDs

Ade Yeti Nuryantini  <https://orcid.org/0000-0001-6382-7249>

Asti Sawitri  <https://orcid.org/0000-0002-6154-8737>

Bebek Wahid Nuryadin  <https://orcid.org/0000-0002-6653-4174>

Received 23 July 2018, in final form 2 September 2018

Accepted for publication 19 September 2018

<https://doi.org/10.1088/1361-6552/aae26c>

References

- [1] Kuhn J and Vogt P 2012 Analyzing free fall with a smartphone acceleration sensor *Phys. Teach.* **50** 182–3
- [2] Sans J A, Manjón F J, Pereira A L J, Gomez-Tejedor J A and Monsoriu J A 2013 Oscillations studied with the smartphone ambient light sensor *Eur. J. Phys.* **34** 1349–54
- [3] Wattanayotin P, Puttharuga C and Khemmani S 2017 Investigation of the rolling motion of a hollow cylinder using a smartphone's digital compass *Phys. Educ.* **52** 045009
- [4] Pierratos T and Polatoglou H M 2018 Study of the conservation of mechanical energy in the motion of a pendulum using a smartphone *Phys. Educ.* **53** 015021
- [5] Kapucu S 2017 Finding the average speed of a light-emitting toy car with a smartphone light sensor *Phys. Educ.* **52** 045001
- [6] Arribas E, Escobar I, Suarez C P, Najera A and Beléndez A 2015 Measurement of the magnetic field of small magnets with a smartphone: a very economical laboratory practice for introductory physics courses *Eur. J. Phys.* **36** 065002
- [7] Septianto R D, Suhendra D and Iskandar F 2017 Utilisation of the magnetic sensor in a smartphone for facile magnetostatics

Constant speed motion analysis using a smartphone magnetometer

experiment: magnetic field due to electrical
Phys. Educ. **52** 015015

- [8] Setiawan B, Septianto R D, Suhendra D and Iskandar F 2017 Measurement of 3-axis magnetic fields induced by current wires using a smartphone in magnetostatics experiments
Phys. Educ. **52** 065011



Ade Yeti Nuryantini has a doctoral degree in physics, specializing in nanomaterials (or nanofibers). She is associate professor in physics education at the UIN Sunan Gunung Djati Bandung, Indonesia. Her current research interests focus on synthesis and functionalization of nanomaterial (or nanofiber) and focus on using smartphones /mobile computers as experimental and simulation tools in physics education in teaching and learning in school labs and university courses. Moreover, she is trying to develop a Mobile Science Laboratory for Madrasah/School Improvement (MOSLM Lab's), especially using smartphones and open source applications.



Asti Sawitri has a master's degree in physics, specializing in nanomaterials (nanofibers). She is currently a lecturer at UIN Sunan Gunung Djati Bandung, Indonesia. Her research areas include synthesis and functionalization of nanomaterials (nanofibers), new-type ceramic semiconductors as a sensor of halal detection (alcohol gas sensor). Moreover, she is trying to develop a Mobile Science Laboratory for Madrasah/School Improvement (MOSLM Lab's), especially using smartphones and open source applications.



Bebeh Wahid Nuryadin has a doctoral degree in physics, specializing in nanomaterials and semiconductor. He is currently an assistant professor at UIN Sunan Gunung Djati Bandung, Indonesia. His research areas include synthesis and functionalization of nanomaterial, new-type ceramic semiconductor and solar-based renewable energy. Moreover, he is trying to develop a Mobile Science Laboratory for Madrasah/School Improvement (MOSLM Lab's), especially using smartphones and open source applications.