



Dian Sa'adillah Maylawati <diansm@uinsgd.ac.id>

ICWT 2022 submission 5280

1 pesan

ICWT 2022 <icwt2022@easychair.org>

12 Juni 2022 pukul 20.57

Kepada: Dian Sa'Adillah Maylawati <diansm@uinsgd.ac.id>

Dear authors,

We received your submission to ICWT 2022 (2022 8th International Conference on Wireless and Telematics (ICWT)):

Authors : Azka Muhammad Ridwan, Diena Rauda Ramdania, Dian Sa'Adillah Maylawati, Agung Wahana and Edi Mulyana

Title : Leather Product Recommendation System using Collaborative Filtering Algorithm

Number : 5280

The submission was uploaded by Dian Sa'Adillah Maylawati <diansm@uinsgd.ac.id>. You can access it via the ICWT 2022 EasyChair Web page

<https://easychair.org/conferences/?conf=icwt2022>

Thank you for submitting to ICWT 2022.

Best regards,
EasyChair for ICWT 2022.



Dian Sa'adillah Maylawati <diansm@uinsgd.ac.id>

ICWT 2022 notification for paper 5280

1 pesan

ICWT 2022 <icwt2022@easychair.org>

1 Juli 2022 pukul 16.39

Kepada: Dian Sa'Adillah Maylawati <diansm@uinsgd.ac.id>

The 8th International Conference on Wireless and Telematics (ICWT) 2022 Editorial Committee has completed the reviewing process, and we are pleased to inform you that your manuscript,

Title : Leather Product Recommendation System using Collaborative Filtering Algorithm
Paper Number : 5280

has been ACCEPTED for the IN-PERSON/VIRTUAL presentation in the 8th International Conference on Wireless and Telematics (ICWT) 2022 on 21-22 July 2022. We require the author(s) to revise the full paper according to the reviewers' comments (if any) and prepare 13-15 minutes presentation video of your paper (voiceover and talking head on presentation slides--the template can be accessed via <https://bit.ly/icwt2022>).

The author shall submit the camera-ready full paper and the video presentation BEFORE Tuesday, 12 July 2022 23.59 GMT+7 by filling a form in <https://bit.ly/icwt2022confirmation>.

The full paper MUST STRICTLY pdf-express compatible (instructions in the postscript) and comply with the guidelines for Camera-Ready Submission at <https://icwt-seei.org/2022/submission-guidelines/>.

The proceedings of ICWT 2015-2021 have been uploaded to the IEEE Xplore. For this year, accepted and presented papers will be submitted for inclusion into IEEE Xplore subject to meeting IEEE Xplore's scope and quality requirements. Failure in complying with the ICWT 2022 conference template may cause the full paper to be EXCLUDED for submission to IEEE Xplore. For your consideration in presenting a paper at the 8th ICWT in Yogyakarta (in person or virtually), at least one author of each accepted paper MUST register at the FULL registration fee, and the required FULL registration fee MUST be paid before the final revision deadline. Visit our website or contact us for additional registration information.

We apologize for the late notification.

Sincerely yours,
ICWT 2022 Committee

P.S.:

Please use the IEEE pdf-express site to develop your compatible pdf file as follow:

- Add the ICWT2022 copyright notice on the bottom left part of the first page: 978-1-6654-5122-2/22/\$31.00 ©2022 IEEE
- Log in to the following IEEE pdf Express site: <https://ieee-pdf-express.org/>
- Select "Create account" link to create a new account.
- Enter "55831X" as the Conference ID of the ICWT2022, enter your email address, enter your password, and continue to enter information as prompted.
- Login to your account, select the "Create New Title", and upload your paper.
- After the process is completed, your IEEE Xplore compatible PDF will be available shortly. A copy of this PDF file will be sent to your email.



Dian Sa'adillah Maylawati <diansm@uinsgd.ac.id>

IEEE Copyright Transfer Confirmation for Article: Leather Product Recommendation System using Collaborative Filtering Algorithm

1 pesan

ecopyright@ieee.org <ecopyright@ieee.org>
Kepada: diansm@uinsgd.ac.id

18 September 2022 pukul 19.55

IEEE Electronic Publication Agreement Receipt
=====

Publication Title: 2022 8th International Conference on Wireless and Telematics (ICWT)
Article Title: Leather Product Recommendation System using Collaborative Filtering Algorithm
Author(s): Azka Muhammad Ridwan, Diena Rauda Ramdania, Dian Sa'Adillah Maylawati, Agung Wahana, Edi Mulyana, and Muhammad Insan Al-Amin
Author E-mail: diansm@uinsgd.ac.id
eCF Paper Id: 404658

Dear Colleague

Congratulations! You have successfully completed the IEEE Electronic Publication Agreement. A copy of the fully executed Agreement is attached here for your records. Please save this e-mail for any future reference.

PLEASE DO NOT RESPOND TO THIS EMAIL.

For technical assistance or to search our knowledge base, please visit our support site at :

<http://ieee.custhelp.com/app/answers/list/p/197,2375>

 **CopyrightReceipt.pdf**
20K

My Submissions

Conference

News


EasyChair

ICWT 2022 Submission 5280

Submission information updates are disabled.

For all questions related to processing your submission you should contact the conference organizers. [Click here to see information about this conference.](#)

Submission 5280

Title	Leather Product Recommendation System using Collaborative Filtering Algorithm
Paper:	 (Jun 12, 13:57 GMT)
Author keywords	collaborative filtering e-commerce leather recommender system
Abstract	<p>Currently, e-commerce and marketplaces are constantly evolving to satisfy consumers' needs more efficiently and conveniently. Technological developments make ecommerce smarter to serve users by providing recommendations according to user needs. Various types of products are traded in the marketplace, including leather products. Therefore, this study aims to build a recommendation system for leather products. By using the Collaborative Filtering algorithm, the system will provide recommendations for leather products to users based on patterns formed from the history of rating or user ratings. This research results in a web-based recommendation system to help users find leather products by implementing Collaborative Filtering. The experimental results on 50 leather products and 644 ratings given by 30 respondents showed an average value of Mean Absolute Error (MAE) from the application of Collaborative Filtering of 1,929. This MAE value indicates that Collaborative Filtering can recommend skin products well according to user expectations.</p>
Submitted	Jun 12, 13:57 GMT
Last update	Jun 12, 13:57 GMT

Authors

first name	last name	email	country	affiliation	Web page	corresponding?
Azka Muhammad	Ridwan	azkamr1999@gmail.com	Indonesia	Department of Informatics, UIN Sunan Gunung Djati Bandung		✓
Diena Rauda	Ramdania	diena.rauda@uinsgd.ac.id	Indonesia	Department of Informatics, UIN Sunan		✓

Dian Sa'Adillah	Maylawati	diansm@uinsgd.ac.id	Indonesia	Gunung Djati Bandung Department of Informatics, UIN Sunan Gunung Djati Bandung	✓
Agung	Wahana	wahana.agung@uinsgd.ac.id	Indonesia	Department of Informatics, UIN Sunan Gunung Djati Bandung	✓
Edi	Mulyana	edim@uinsgd.ac.id	Indonesia	Department of Electrical Engineering, UIN Sunan Gunung Djati Bandung	✓

Copyright © 2002 – 2023 EasyChair

IEEE COPYRIGHT AND CONSENT FORM

To ensure uniformity of treatment among all contributors, other forms may not be substituted for this form, nor may any wording of the form be changed. This form is intended for original material submitted to the IEEE and must accompany any such material in order to be published by the IEEE. Please read the form carefully and keep a copy for your files.

Leather Product Recommendation System using Collaborative Filtering Algorithm

Azka Muhammad Ridwan, Diena Rauda Ramdania, Dian Sa'Adillah Maylawati, Agung Wahana, Edi Mulyana, and Muhammad Insan Al-Amin

2022 8th International Conference on Wireless and Telematics (ICWT)

COPYRIGHT TRANSFER

The undersigned hereby assigns to The Institute of Electrical and Electronics Engineers, Incorporated (the "IEEE") all rights under copyright that may exist in and to: (a) the Work, including any revised or expanded derivative works submitted to the IEEE by the undersigned based on the Work; and (b) any associated written or multimedia components or other enhancements accompanying the Work.

GENERAL TERMS

1. The undersigned represents that he/she has the power and authority to make and execute this form.
2. The undersigned agrees to indemnify and hold harmless the IEEE from any damage or expense that may arise in the event of a breach of any of the warranties set forth above.
3. The undersigned agrees that publication with IEEE is subject to the policies and procedures of the [IEEE PSPB Operations Manual](#).
4. In the event the above work is not accepted and published by the IEEE or is withdrawn by the author(s) before acceptance by the IEEE, the foregoing copyright transfer shall be null and void. In this case, IEEE will retain a copy of the manuscript for internal administrative/record-keeping purposes.
5. For jointly authored Works, all joint authors should sign, or one of the authors should sign as authorized agent for the others.
6. The author hereby warrants that the Work and Presentation (collectively, the "Materials") are original and that he/she is the author of the Materials. To the extent the Materials incorporate text passages, figures, data or other material from the works of others, the author has obtained any necessary permissions. Where necessary, the author has obtained all third party permissions and consents to grant the license above and has provided copies of such permissions and consents to IEEE

You have indicated that you DO wish to have video/audio recordings made of your conference presentation under terms and conditions set forth in "Consent and Release."

CONSENT AND RELEASE

1. In the event the author makes a presentation based upon the Work at a conference hosted or sponsored in whole or in part by the IEEE, the author, in consideration for his/her participation in the conference, hereby grants the IEEE the unlimited, worldwide, irrevocable permission to use, distribute, publish, license, exhibit, record, digitize, broadcast, reproduce and archive, in any format or medium, whether now known or hereafter developed: (a) his/her presentation and comments at the conference; (b) any written materials or multimedia files used in connection with his/her presentation; and (c) any recorded interviews of him/her (collectively, the "Presentation"). The permission granted includes the transcription and reproduction of the Presentation for inclusion in products sold or distributed by IEEE and live or recorded broadcast of the Presentation during or after the conference.
2. In connection with the permission granted in Section 1, the author hereby grants IEEE the unlimited, worldwide, irrevocable right to use his/her name, picture, likeness, voice and biographical information as part of the advertisement, distribution and sale of products incorporating the Work or Presentation, and releases IEEE from any claim based on

right of privacy or publicity.

BY TYPING IN YOUR FULL NAME BELOW AND CLICKING THE SUBMIT BUTTON, YOU CERTIFY THAT SUCH ACTION CONSTITUTES YOUR ELECTRONIC SIGNATURE TO THIS FORM IN ACCORDANCE WITH UNITED STATES LAW, WHICH AUTHORIZES ELECTRONIC SIGNATURE BY AUTHENTICATED REQUEST FROM A USER OVER THE INTERNET AS A VALID SUBSTITUTE FOR A WRITTEN SIGNATURE.

Dian Sa'adillah Maylawati

18-09-2022

Signature

Date (dd-mm-yyyy)

Information for Authors

AUTHOR RESPONSIBILITIES

The IEEE distributes its technical publications throughout the world and wants to ensure that the material submitted to its publications is properly available to the readership of those publications. Authors must ensure that their Work meets the requirements as stated in section 8.2.1 of the IEEE PSPB Operations Manual, including provisions covering originality, authorship, author responsibilities and author misconduct. More information on IEEE's publishing policies may be found at http://www.ieee.org/publications_standards/publications/rights/authorrightrresponsibilities.html Authors are advised especially of IEEE PSPB Operations Manual section 8.2.1.B12: "It is the responsibility of the authors, not the IEEE, to determine whether disclosure of their material requires the prior consent of other parties and, if so, to obtain it." Authors are also advised of IEEE PSPB Operations Manual section 8.1.1B: "Statements and opinions given in work published by the IEEE are the expression of the authors."

RETAINED RIGHTS/TERMS AND CONDITIONS

- Authors/employers retain all proprietary rights in any process, procedure, or article of manufacture described in the Work.
- Authors/employers may reproduce or authorize others to reproduce the Work, material extracted verbatim from the Work, or derivative works for the author's personal use or for company use, provided that the source and the IEEE copyright notice are indicated, the copies are not used in any way that implies IEEE endorsement of a product or service of any employer, and the copies themselves are not offered for sale.
- Although authors are permitted to re-use all or portions of the Work in other works, this does not include granting third-party requests for reprinting, republishing, or other types of re-use. The IEEE Intellectual Property Rights office must handle all such third-party requests.
- Authors whose work was performed under a grant from a government funding agency are free to fulfill any deposit mandates from that funding agency.

AUTHOR ONLINE USE

- **Personal Servers.** Authors and/or their employers shall have the right to post the accepted version of IEEE-copyrighted articles on their own personal servers or the servers of their institutions or employers without permission from IEEE, provided that the posted version includes a prominently displayed IEEE copyright notice and, when published, a full citation to the original IEEE publication, including a link to the article abstract in IEEE Xplore. Authors shall not post the final, published versions of their papers.
- **Classroom or Internal Training Use.** An author is expressly permitted to post any portion of the accepted version of his/her own IEEE-copyrighted articles on the author's personal web site or the servers of the author's institution or company in connection with the author's teaching, training, or work responsibilities, provided that the appropriate copyright, credit, and reuse notices appear prominently with the posted material. Examples of permitted uses are lecture materials, course packs, e-reserves, conference presentations, or in-house training courses.
- **Electronic Preprints.** Before submitting an article to an IEEE publication, authors frequently post their manuscripts to their own web site, their employer's site, or to another server that invites constructive comment from colleagues. Upon submission of an article to IEEE, an author is required to transfer copyright in the article to IEEE, and the author must update any

previously posted version of the article with a prominently displayed IEEE copyright notice. Upon publication of an article by the IEEE, the author must replace any previously posted electronic versions of the article with either (1) the full citation to the IEEE work with a Digital Object Identifier (DOI) or link to the article abstract in IEEE Xplore, or (2) the accepted version only (not the IEEE-published version), including the IEEE copyright notice and full citation, with a link to the final, published article in IEEE Xplore.

Questions about the submission of the form or manuscript must be sent to the publication's editor.

Please direct all questions about IEEE copyright policy to:

IEEE Intellectual Property Rights Office, copyrights@ieee.org, +1-732-562-3966



CERTIFICATE

This certificate of attendance is hereby granted to

Dian Sa'Adillah Maylawati

for excellence contribution and participation as

Presenter

at

The 8th International Conference on Wireless and Telematics (ICWT 2022)

Yogyakarta, Indonesia, July 21st - 22nd 2022



Dr. Eng. Achmad Munir, S.T, M.Eng.
ICWT 2022 General Chair

Organized by:



School of Electrical Engineering
and Informatics
Institut Teknologi Bandung

Patronized by:



Electrical Engineering Department
UNIVERSITAS ISLAM NEGERI
SUNAN GUNUNG DJATI
BANDUNG

Supported By:



Leather Product Recommendation System using Collaborative Filtering Algorithm

Azka Muhammad Ridwan
Department of Informatics
UIN Sunan Gunung Djati Bandung
Bandung, Indonesia
azkamr1999@gmail.com

Diena Rauda Ramdania
Department of Informatics
UIN Sunan Gunung Djati Bandung
Bandung, Indonesia
diena.rauda@uinsgd.ac.id
<https://orcid.org/0000-0003-4678-0623>

Dian Sa'adillah Maylawati
Department of Informatics
UIN Sunan Gunung Djati Bandung
Bandung, Indonesia
diansm@uinsgd.ac.id
<https://orcid.org/0000-0002-1193-3370>

Agung Wahana
Department of Informatics
UIN Sunan Gunung Djati Bandung
Bandung, Indonesia
wahana.agung@uinsgd.ac.id
<https://orcid.org/0000-0002-6468-0741>

Edi Mulyana
Department of Electrical Engineering
Universitas Kebangsaan
Bandung, Indonesia
edim@uinsgd.ac.id

Abstract—Currently, e-commerce and marketplaces are constantly evolving to satisfy consumers' needs more efficiently and conveniently. Technological developments make e-commerce smarter to serve users by providing recommendations according to user needs. Various types of products are traded in the marketplace, including leather products. Therefore, this study aims to build a recommendation system for leather products. By using the Collaborative Filtering algorithm, the system will provide recommendations for leather products to users based on patterns formed from the history of rating or user ratings. This research results in a web-based recommendation system to help users find leather products by implementing Collaborative Filtering. The experimental results on 50 leather products and 644 ratings given by 30 respondents showed an average value of Mean Absolute Error (MAE) from the application of Collaborative Filtering of 1,929. This MAE value indicates that Collaborative Filtering can recommend skin products well according to user expectations.

Keywords—collaborative filtering, e-commerce, leather, recommender system

I. INTRODUCTION

The presence of technology often spoils humans in various daily activities, including shopping. It is undeniable that the current online shopping trend affects the acceleration and improvement of e-commerce, including in Indonesia. According to Technology Empowered Digital Trade in the Asia Pacific, the total size of Indonesia's e-commerce market will reach 43,351 billion dollars in 2021 [1]. This fact is believed to continue to increase and develop rapidly and make e-commerce one of the new backbones for the national economy. Marketplaces have also sprung up in Indonesia, such as Tokopedia, Shopee, Lazada, JD.id, OLX, Bukalapak, and others [2]. A marketplace is a platform that acts as an intermediary between sellers and buyers on the internet. Marketplace acts as a third party in online transactions by providing a place to sell and payment facilities. There is a change in consumer behavior that tends to shop online as one of the triggers for the growth of the marketplace. Not only big corporations and owners of big brands and products that enter the realm of this digital platform, even Macro, Small and Medium Enterprises (*Usaha Mikro Kecil Menengah* - UMKM) also use the marketplace and are supported by the Government.

The Indonesian government supports and encourages UMKM products to compete through the marketplace as a digital platform, including leather products. As a material that looks luxurious and classy, leather is always interesting to explore in various stunning fashions. This is directly proportional to the market demand for this leather product—the more market demand for leather products, the more leather craftsmen there. More than thousands of models of leather products to date have been sold by leather craftsmen, including jackets, bags, wallets, belts, id cards, shoes, and others. The leather industry accounts for 4.93 percent of the large-medium manufacturing industry, with a rate of production rise of 27.73 percent [3].

Furthermore, the value of Indonesian leather exports climbed by around 6.23 percent [4]. Seeing this potential, e-commerce must be able to intelligently provide recommendations for leather products based on trends, ratings, and buyer interests. Of course, this has the potential and opportunity to boost the production and sale value of leather items.

Recommendation system technology has been widely studied before, such as: (1) Development of a recommendation system for fashion retail e-commerce utilising an item-based collaborative filtering algorithm [5]; (2) Exploring a large-scale multi-modal transportation recommendation system using a bipartite graph for the Origin-Destination (OD) pair and the User-OD pair of all query records, then transforming nodes in the bipartite graph to feature vectors using a graph-embedding technique [6]; (3) Personalized real-time movie recommendation system using Collaborative Filtering prototype and assessment [7]; (4) product recommendation system using Apriori algorithm [8], [9]; (5) Content-based filtering and TF-IDF methods for exclusive pen product recommendation system [10]; (6) The case-based reasoning method is used by the thesis topic recommendation system [11]; (7) A new student admission recommendation system based on the Naive Bayes classifier has been developed [12]; and (8) Collaborative Filtering used for product recommendation system such as beauty shop product [13], laptop [14] and agricultural product [15]. Based on previous research, Collaborative Filtering is popularly used for recommendation systems and performs well. Therefore, this study aims to apply the Collaborative Filtering algorithm

in a leather product recommendation system which is one of the classiest products

II. RESEARCH METHODS

A. Research activities

This research uses the Waterfall software engineering life cycle to develop a recommendation system for leather products, beginning with requirement analysis, software design, construction/ implementation, and evaluation [16], [17]. The stage of acquiring software requirements is known as software requirements analysis. As a result, developers must understand what their users require. This stage's goal is to summarize what the user wants. After the analysis is completed, the stage of design begins. Developers will be responsible for creating software designs such as data structures, software architecture, interfaces, and coding techniques. The next stage is the implementation phase which results in an information system conforming to what was previously desired. Testing is the final stage of the waterfall process. Of course, this stage is carried out to determine whether the preceding stages' final outcomes are appropriate or not.

B. Collaborative Filtering algorithm

Collaborative Filtering is a way to evaluate items or filter items using the opinions or opinions of others [18]. Collaborative Filtering evaluates all users to obtain user information in providing a recommendation. In the data filtering process, collaborative filtering works based on the similarity of user characteristics which will later produce new information to users [18]. The Collaborative Filtering technique is the most widely used in the recommendation system [19]. The quality of the recommendation system is highly dependent on the opinions or opinions of other users on a particular item. This recommendation system is operated in a 2 (two) dimensional space of X-item users. The rating given by the user will be represented as Y, where Y is a non-negative integer or an actual number with certain distance conditions. This recommendation system will process the rating prediction that will be given to the user for an item that has never been given a rating before by the user [18].

Giving a rating on a recommendation system using collaborative filtering can take the form of: (1) Giving a scalar model rating, it must consist of a numerical rating, for example, numbers 1 to 5; (2) Rating the binary model, is a model by choosing between agree or disagree; and (3) Giving a unary model rating, namely a rating model by using the way the user is indicated to have purchased an item or observed an item or rated the item positively.

Collaborative filtering is divided into user-based and item-based collaborative filtering [18]. User-based collaborative filtering is assumed to find interesting items by using a method that is good for certain buyers, namely by looking for other buyers who have the same interests or desires. At the initial stage, user-based collaborative filtering will be able to find the closest user (user neighbor) by finding similar users (user similarity), then each rating value obtained from the closest user (user neighbor) will be used as recommendation material for active users [20].

Item-based collaborative filtering has a way of working almost similar to user-based collaborative filtering. The relationship or correlation between buyers will be sought in user-based collaborative filtering. Then in item-based

collaborative filtering, the relationship between items favored by system users will be sought, then the system will recommend other system users related items [21]. This research uses Item-based Collaborative Filtering to recommend leather products.




Fig. 1. Flowchart of Item-based Collaborative Filtering

Figure 1 describes the flow of the item-based collaborative filtering algorithm, from the buyer giving a rating until the buyer gets a product recommendation. At the item rating similarity calculation stage, the method used is Centered Cosine Similarity or the Pearson Correlation Coefficient to look for similarities between two items or two different users. The use of centered cosine similarity means that users who do not provide recommendations are not considered to give the worst value in the rating the Centered Cosine Similarity calculation is found in equation (1), in which X_i is the rating of product X by buyer i, X' is the average rating of product X, Y_i is a rating of product Y by buyer i, and Y is the average rating of product Y.

$$Similarity(x, y) = \frac{\sum_{i=1}^n (X_i - X')(Y_i - Y')}{\sqrt{\sum_{i=1}^n (X_i - X')^2} \sqrt{\sum_{i=1}^n (Y_i - Y')^2}} \quad (1)$$

After calculating the similarity of items, the weighted sum method is applied to predict the rating value of items that have not been rated by the previous user, the weighted sum equation (2). $P_{u,i}$ is the predictive value for user u on product i, $R_{u,N}$ is the product rating N from user u, while $S_{i,N}$ is the similarity value that has been calculated with Cosine Similarity.

$$P_{u,i} = \frac{\sum \text{all similar item } S_{i,N} (S_{i,N} \times R_{u,N})}{\sum \text{all similar item } S_{i,N} (|S_{i,N}|)} \quad (2)$$

C. Mean Absolute Error (MAE)

The evaluation was carried out with Mean Absolute Error (MAE) used to test the performance of item-based collaborative filtering. MAE is used because it can calculate the prediction error value by juxtaposing the rating given by the buyer with the rating prediction by the system. The equation for calculating MAE is found in equation (3), in which $P_{u,i}$ is the rating prediction value, $R_{u,i}$ is the actual user rating value, and N is the number of rating pairs. The smaller the MAE value, the more accurate it is. On the other hand, the higher the MAE value, the more inaccurate it is. MAE results that produce numbers close to 0, indicate that the prediction of a calculation method has better accuracy because the error value is almost 0.

$$MAE = \frac{\sum_{i=1}^N |P_{u,i} - R_{u,i}|}{N} \quad (3)$$

III. RESULT AND DISCUSSION

This section presents the result and discussion of study. Beginning with requirement analysis, analysis of Collaborative Filtering implementation, design, implementation, and evaluation of leather recommendation system.

A. Requirement Analysis of Leather Recommendation System

The product sales recommendation system built on an application aims to advance and increase sales. In this case, the system provides convenience by displaying product recommendations to customers. The recommendations are in the form of products with similar tastes to previous customers. A large number of leather products confuses customers in choosing products. This recommendation system is deemed necessary and will provide convenience for customers when choosing leather products. In this system, the customer can give a rating on the product he has seen. The rating given by each customer is used as the basis for determining product recommendations for the relevant customer. The input given by the customer will display the output in the form of product recommendations. The output appears after the customer gives a rating on the selected product, then the system calculates and looks for the similarity value. Customers can also see the predictive value of the rating given by the system to each product contained in the system. System functionality requirements are available in Figure 2.




Fig. 2. Use case diagram of leather product recommendation system

B. Analysis of Collaborative Filtering for Leather Recommendation System

The process of running the system will be described sequentially. By using the item-based collaborative filtering method, centered cosine similarity, and weighted sum data calculations will be described clearly to produce leather product recommendations. Furthermore, some sample data will be used to assist the calculation process. The first step is to create a matrix between buyers and leather products. A matrix is used because the item-based collaborative filtering method is based on the similarity of ratings between buyers and the product of choice. In Table I, the rating scenario is described. The value in the table is the rating value presented using numbers, while in the system, it is described in the form of stars. Furthermore, it will be analyzed how buyers with Buyer II are given recommendations for leather products according to their preferences.

TABLE I. RATING SCENARIO

Leather products	Buyer							Mean
	I	II	III	IV	V	VI	VII	
Jacket	3	4	0	0	0	0	4	3.66
Bag	0	4	4	0	0	0	3	3.66
Handbag	3	0	0	0	0	3	4	3.33
Wallet	5	0	0	4	3	0	0	4
Id Card	0	0	0	4	0	4	5	4.33

Leather products include jackets, bags, handbags, wallets, and id cards. The rating awarded by Buyer I-VII. The rating starts from 1 to 5. A value of 0 indicates the buyer does not give a rating for the leather product. The second step is to calculate the similarity value, the calculation is carried out using the centered cosine similarity method. The use of centered cosine similarity was chosen because of the normalization of products that have not been rated by buyers so that they are not rated as the worst. Calculation of centered cosine similarity using equation (1). To normalize the rating, each rating given is reduced by the average rating for the leather product [13]. In Table II, the normalized rating values are presented.

TABLE II. RATING NORMALIZATION

Leather products	Buyer						
	I	II	III	IV	V	VI	VII
Jacket	-0.66	0.34	0	0	0	0	0.34
Bag	0	0.34	0.34	0	0	0	-0.66
Handbag	-0.33	0	0	0	0	-0.33	-0.67
Wallet	1	0	0	0.33	-1	0	0
Id Card	0	0	0	0.33	0	-0.33	0.67

Rating normalization is done by reducing the buyer's rating minus the product's average rating. Buyer I's normalized rating value for jacket products is -0.66 which is the result of reducing the rating value given by the buyer -1 for jacket products by the average rating of jacket products, which is 3 minus 3.66. Buyers with Buyer II have not added ratings for handbags, wallets, and id cards. The resulting value in the centered cosine similarity equation ranges from +1 to -1. Items are considered mutually correlated if the similarity value between the two items is close to +1, and vice versa items are considered uncorrelated if the similarity value is close to -1 [14]. And if the value of similarity 0 means the two items are not correlated (independent) [13]. The example of similarity values between leather products that have been calculated are shown in Table III.

TABLE III. THE SIMILARITY BETWEEN LEATHER PRODUCTS

Leather products	Leather products		
	Handbag	Wallet	Id Card
Jacket	0.68	-0.57	0.34
Bag	-0.68	0	-0.66
Handbag	1	-0.28	0.84
Wallet	-0.29	1	0
Id Card	0.84	0	1

The next step is to calculate rating predictions using the weighted sum method. Calculation of the weighted sum using equation (2). To calculate the prediction value of the rating, the researcher uses the two highest similarity values obtained from the calculation of the similarity value. Based on the weighted sum calculation, "Handbag" has rating value 1.78, "Id Card" has 1.15, and "Wallet" is 0. Furthermore, calculations which are carried out using the weighted sum

method will be sorted starting from the highest value to the lowest value to be used as a recommendation for leather products to the buyer. Next, a number of N sequences of recommendations are selected to be recommended to buyers. Based on the limitations of this research, only five products will be displayed as recommendations to buyers based on the highest rating prediction value. To find out the value of the prediction error is calculated using the MAE method using equation (3). The results obtained from the MAE method are 1.69%. Due to these results, the MAE range is around <10%, so it can be said that the MAE results have good forecasting model capabilities.

C. Design of Leather Recommendation System

Leather recommendation system is designed using Unified Modeling Language (UML) [22] with object-oriented software development approach. Class diagram of system is available in Figure 3 which has class of Leather Product, Rating, Recommendation, and User. Software design of leather recommendation system is also modeled by sequence, activity, and state diagram. System is built as web-based application, in which, the user interface design is presented in the Figure 4 (available in Indonesian language).




Fig. 3. Class diagram of leather product recommendation system




Fig. 4. User interface design of leather product recommendation system

D. Implementation of Leather Recommendation System

Figure 5 presents the example of leather recommendation system implementation. The design of the item-based collaborative filtering method is implemented into the system using the PHP programming language, where the result of the implementation is in the form of JSON. The following is the process of implementing the item-based collaborative filtering source code on the leather product recommendation system.




Fig. 5. Implementation example of leather product recommendation system

E. Evaluation and Discussion

Evaluation of this research includes two scenarios. First, functionality evaluation of leather recommendation system using black-box testing. Second is the performance evaluation of Collaborative Filtering in recommending a leather product. Black box evaluation shows that all system functionalities run well following requirements. Furthermore, Mean Absolute Error (MAE) is used to test the performance of item-based collaborative filtering. MAE is used because it can calculate the prediction error value by juxtaposing the rating given by the buyer with the rating prediction by the system. The smaller the MAE value, the more accurate it is. On the other hand, the higher the MAE value, the more inaccurate it is.

TABLE IV. MEAN ABSOLUTE ERROR (MAE) RESULT

Buyer ID	MAE Value	Total Rated Product
1	1.904	12
2	1.704	20
3	2.793	4

Buyer ID	MAE Value	Total Rated Product
4	1.680	22
5	3.217	14
6	2.759	6
7	2.162	13
8	1.877	21
9	1.486	22
10	0.741	35
11	3.420	7
12	0.943	43
13	2.233	39
14	2.439	11
15	0.998	34
16	1.821	23
17	1.540	31
18	1.959	19
19	2.264	27
20	1.995	26
21	2.176	35
22	2.051	21
23	2.813	7
24	1.689	22
25	1.690	47
26	1.713	13
27	2.930	9
28	1.905	14
29	1.818	22
30	1.819	25

The MAE calculation is applied to each buyer, then the average value of all assessments is taken. The number of buyers involved in this testing process is 30 people, the number of ratings is 644 ratings, and the number of products is 50 products. MAE calculation scenarios are presented in Table IV. From the results of the MAE calculation, the largest error value obtained was 3,420 by buyers with Buyer ID 11 for 7 products. At the same time, the smallest error value is 0.741 by buyers with username Buyer ID 10 for 35 products. And the average MAE value is 1.929 out of 644 ratings added by 30 buyers. The closer to zero the MAE value, the better the prediction accuracy will be. The factor that influences the prediction is the number of ratings available.

CONCLUSION

This research has designed and built a leather product recommendation system using the item-based collaborative filtering method. The item-based collaborative filtering algorithm has been successfully applied to the leather product recommendation system to make it easier for buyers. The recommendations from 30 respondents, 50 products, and 644 ratings obtained an average MAE value of 1,929. The closer the MAE value is, the better the prediction accuracy. The factor that affects the prediction is the number of available ratings. Further research can use other algorithms such as user-based collaborative filtering or combining the item-based and user-based to get better recommendation results.

ACKNOWLEDGMENT

We thank the Center for Research and Publications, Institute for Research and Community Service at UIN Sunan Gunung Djati Bandung for supporting and financing this publication.

REFERENCES

[1] N. N. Rahma, "Tren E-Commerce Bermunculan di Indonesia, Berikut Penjelasan Open Labs," *Warta Ekonomi*, 2022.

<https://wartaekonomi.co.id/read398161/tren-e-commerce-bermunculan-di-indonesia-berikut-penjelasan-open-labs> (accessed Jun. 06, 2022).

[2] O. Olivia, "Daftar Toko Online Paling Besar dan Terpopuler di Indonesia Tahun 2022," *Kompas.com*, 2022. <https://buku.kompas.com/read/1327/daftar-toko-online-paling-besardan-terpopuler-di-indonesia-tahun-2022> (accessed Jun. 06, 2022).

[3] A. N. K. Movanita, "Industri Manufaktur Besar-Menengah Tumbuh 4,93 Persen, Didominasi Produk Kulit dan Alas Kaki," *Kompas.com*, 2018. <https://ekonomi.kompas.com/read/2018/08/01/184842126/industri-manufaktur-besar-menengah-tumbuh-493-persen-didominasi-produk-kulit> (accessed Jan. 26, 2019).

[4] A. Bella, "Potensi Besar Industri Kulit di Indonesia," *Marketeters*, 2018. <http://marketeters.com/potensi-besar-industri-kulit-di-indonesia/> (accessed Jan. 26, 2019).

[5] H. Hwangbo, Y. S. Kim, and K. J. Cha, "Recommendation system development for fashion retail e-commerce," *Electron. Commer. Res. Appl.*, vol. 28, pp. 94–101, 2018.

[6] Y. Liu, C. Lyu, Z. Liu, and J. Cao, "Exploring a large-scale multimodal transportation recommendation system," *Transp. Res. Part C Emerg. Technol.*, vol. 126, p. 103070, 2021.

[7] J. Zhang, Y. Wang, Z. Yuan, and Q. Jin, "Personalized real-time movie recommendation system: Practical prototype and evaluation," *Tsinghua Sci. Technol.*, vol. 25, no. 2, pp. 180–191, 2019.

[8] C. S. Fatoni, E. Utami, and F. W. Wibowo, "Sistem Rekomendasi Produk Online Store Menggunakan Metode Apriori," *J. Inf. Politek. Indonusa Surakarta*, vol. 4, no. 2, pp. 20–27, 2018.

[9] Z. Munawar, Y. Herdiana, and N. I. Putri, "Sistem Rekomendasi Hibrid Menggunakan Algoritma Apriori Mining Asosiasi," *Temat. J. Teknol. Inf. Komun.*, vol. 8, no. 1, pp. 84–95, 2021.

[10] M. W. Putri, A. Muchayan, and M. Kamisutara, "Sistem Rekomendasi Produk Pena Eksklusif Menggunakan Metode Content-Based Filtering dan TF-IDF," *JOINTECS (Journal Inf. Technol. Comput. Sci.)*, vol. 5, no. 3, pp. 229–236, 2020.

[11] N. L. P. Merawati and S. Hartati, "Sistem rekomendasi topik skripsi menggunakan metode case based reasoning," *J. Ilm. Teknol. Infomasi Terap.*, vol. 4, no. 3, 2018.

[12] A. Suryadi, "Sistem Rekomendasi Penerimaan Mahasiswa Baru Menggunakan Naive Bayes Classifier Di Institut Pendidikan Indonesia," *Joutica J. Inform. Unisla*, vol. 3, no. 2, pp. 171–182, 2018.

[13] E. Erlangga and H. Sutrisno, "Sistem Rekomendasi Beauty Shop Berbasis Collaborative Filtering," *Expert J. Manaj. Sist. Inf. dan Teknol.*, vol. 10, no. 2, pp. 47–52, 2020.

[14] A. E. Wijaya and D. Alfian, "Sistem Rekomendasi Laptop Menggunakan Collaborative Filtering Dan Content-Based Filtering," *J. Comput. Bisnis*, vol. 12, no. 1, pp. 11–27, 2018.

[15] W. Indriawan, A. I. Gufroni, and R. Rianto, "Sistem Rekomendasi Penjualan Produk Pertanian Menggunakan Metode Item Based Collaborative Filtering," *J. Siliwangi Seri Sains dan Teknol.*, vol. 6, no. 2, 2020.

[16] R. S. Pressman, *Software Engineering: A Practitioner's Approach*, 7th ed. New York: McGraw-Hill, 2011.

[17] I. Sommerville, *Software Engineering*. 2010.

[18] H. Februariyanti, A. D. Laksono, J. S. Wibowo, and M. S. Utomo, "Implementasi Metode Collaborative Filtering untuk Sistem Rekomendasi Penjualan pada Toko Mebel," *J. Khatulistiwa Inform.*, vol. 9, no. 1, 2021.

[19] Y. Setiawan, A. Nurwanto, and A. Erlansari, "Implementasi Item Based Collaborative Filtering Dalam Pemberian Rekomendasi Agenda Wisata Berbasis Android," *Pseudocode*, vol. 6, no. 1, pp. 13–20, 2019.

[20] A. Solichin and P. Painem, "Sistem Rekomendasi Keterampilan Teknologi Informasi Dengan Metode User-Based Collaborative Filtering dan Log-Likelihood Similarity," *CogITo Smart J.*, vol. 6, no. 2, pp. 141–154, 2020.

[21] H. Hartatik, S. D. Nurhayati, and W. Widayani, "Sistem Rekomendasi Wisata Kuliner di Yogyakarta dengan Metode Item-Based Collaborative Filtering," *J. Autom. Comput. Inf. Syst.*, vol. 1, no. 2, pp. 55–63, 2021.

[22] Booch, "The Unified Modeling Language User Guide," *Addison-Wesley Object Technol. Ser.*, p. 496, 2005, [Online]. Available: <http://books.google.com/books?id=xfQ8JCbxDK8C&pgis=1>.